

Sample equipment for Oil- and Chemical Industry

page 1 (5)

updated 2014-06-21

Article Nr	250.01
Article Name	Sample cage for 250 ml plastic bottle
Material	Brass quality SS 5165/5170
Function	Sample cage equiped with special lockdevice for not loosing the bottle during sampling. Plastic bottle not included
Cork	Natural cork L=23 mm Ø 19/16 mm.
Height/breadth	275/73 mm
Weight	600 gram
Density of liquid	Max 1,6 Kg/l
Working area	Sampling of mineraloils and no aggressive chemicals.
Choice of extra	Extra protection of a teflonring, can be mounted on bottom of the sampler to protect tank coating
Price:	1.800 SEK excl. freight in EU

**Supplier**

Carlsson Petroleum Engineering
Gosta Carlsson
Videgardsvagen 7
SE-445 57 Surte
Sweden

Phone/Mobile

+46 (0)739 829721

e-mail contact/order

gosta.carlsson@cpe.se

Homepage

www.cpe.se

Org. No

450709-5414

VAT Reg No

SE450709541401

Sample equipment for Oil- and Chemical Industry

page 2 (5)

updated 2014-06-21

Article Nr	400.03
Article Name	Sample cage for 16 Oz bottle
Material	Brass quality SS 5165/5170
Function	Sample cage equiped with special lockdevice for not loosing the bottle during sampling. Bottle not included.
Cork	Natural cork L=27 mm Ø 35/30 mm.
Height/breadth	330/89 mm
Weight	852 gram
Density of liquid	Max 1,3 Kg/l
Working area	Sampling of mineraloils and no aggresive chemicals.
Price:	1.790 SEK excl. freight in EU

**Supplier**

Carlsson Petroleum Engineering
Gosta Carlsson
Videgardsvagen 7
SE-445 57 Surte
Sweden

Phone/Mobile

+46 (0)739 829721

e-mail contact/order

gosta.carlsson@cpe.se

Homepage

www.cpe.se

Org. No

450709-5414

VAT Reg No

SE450709541401

Sample equipment for Oil- and Chemical Industry

page 3 (5)

updated 2014-06-21

Article Nr	1000.01
Article Name	Sample cage for 1000 ml glass bottle
Material	Brass quality SS 5165/5170
Function	Sample cage equiped with special lockdevice for not loosing the bottle during sampling. Glass bottle not included
Cork	Natural cork L=27 mm. Ø 20x17 mm.
Height/breadth	340/115 mm
Weight	1560 gram
Density of liquid	Max 1,2 Kg/l
Working area	Sampling of mineral oils and no aggresive chemicals.
Choice of extra	Extra protection of a teflonring, mounted on bottom of the sampler to protect tank coating. Can bee modified to higher density.
Price:	1.980 SEK excl. freight in EU

**Supplier**

Carlsson Petroleum Engineering
Gosta Carlsson
Videgardsvagen 7
SE-445 57 Surte
Sweden

Phone/Mobile

+46 (0)739 829721

e-mail contact/order

gosta.carlsson@cpe.se

Homepage

www.cpe.se

Org. No

450709-5414

VAT Reg No

SE450709541401

Sample equipment for Oil- and Chemical Industry

page 4 (5)

updated 2014-06-21

Article Nr	1000.04
Article Name	Sample cage for 1000 ml glass bottle
Material	Brass quality SS 5165/5170
Function	Sample cage equipped with special lockdevice for not loosing the bottle during sampling. Sampler equipped with a cone in the bottom for easy penetration through the membrane in tanks with floating roof. Glass bottle not included
Cork	Natural cork L=27 mm Diam. 20x17 mm.
Height/breadth	440/115 mm
Weight	1750 gram
Density of liquid	Max 1,4 Kg/l
Working area	Sampling of mineraloils and no aggresive chemicals.
Price:	2.400 SEK excl. Freight in EU

**Supplier**

Carlsson Petroleum Engineering
Gosta Carlsson
Videgardsvagen 7
SE-445 57 Surte
Sweden

Phone/Mobile

+46 (0)739 829721

e-mail contact/order

gosta.carlsson@cpe.se

Homepage

www.cpe.se

Org. No

450709-5414

VAT Reg No

SE450709541401

Sample equipment for Oil- and Chemical Industry

page 5 (5)

updated 2014-06-21

Article Nr	1000.05
Article Name	Sample cage in brass for 1000 ml glass bottle from Alcontrol AB
Material	Brass quality SS 5165/5170
Function	Sample cage equiped with special lockdevice for not loosing the bottle during sampling. Glass bottle not included
Cork	Natural cork L=22 mm. Ø 22x20 mm.
Height/breadth	365/108 mm
Weight	1.270 gram
Density of liquid	Max 1,1 Kg/l
Working area	Sampling of mineral oils and no aggresive chemicals.
Choice of extra	Extra protection of a teflonring, mounted on bottom of the sampler to protect tank coating.
Price:	1.980 SEK excl. freight in EU

**Supplier**

Carlsson Petroleum Engineering
Gosta Carlsson
Videgardsvagen 7
SE-445 57 Surte
Sweden

Phone/Mobile

+46 (0)739 829721

e-mail contact/order

gosta.carlsson@cpe.se

Homepage

www.cpe.se

Org. No

450709-5414

VAT Reg No

SE450709541401