

## Sample equipment for Oil- and Chemical Industry

Page 1 (3)

updated 2011-01-17

|                          |   |
|--------------------------|---|
| <b>Article Nr</b>        | <b>400.02</b>   |
| <b>Article Name</b>      | <b>Sample cage for 16 Oz glass bottle.</b>  |
| <b>Material</b>          | Stainless steel quality SS 2343   |
| <b>Function</b>          | Sample cage equiped with special lockdevice for not loosing the bottle during sampling. Glass bottle not included.              |
| <b>Cork</b>              | Natural cork L=27 mm. Ø 20x17 mm.   |
| <b>Height/breadth</b>    | 320/92 mm   |
| <b>Weight</b>            | 750 gram  |
| <b>Density of liquid</b> | Max 1,5 kg/L  |
| <b>Working area</b>      | Sampling of mineraloils, most chemicals, acids and basis.   |
| <b>Choice of extra</b>   | Extra protection of a teflonring, mounted on bottom of the sampler to protect tank coating. Can bee modified too higher density |
| <b>Price:</b>            | 2.400 SEK excl. freight in EU   |



**Supplier**  
Carlsson Petroleum Engineering  
Gosta Carlsson  
Videgardsvagen 7  
SE-445 57 Surte  
Sweden

**Phone/Mobile**  
+46 (0)739 829721

**e-mail contact/order**  
gosta.carlsson@cpe.se

**Homepage**  
www.cpe.se

**Org. No**  
450709-5414

**VAT Reg No**  
SE450709541401

**Sample equipment for Oil- and Chemical Industry**

Page 2 (3)

updated 2011-01-17

|                          |  |
|--------------------------|--|
| <b>Article Nr</b>        | <b>500.01</b>  |
| <b>Article Name</b>      | <b>Sample cage for 500 ml glass bottle</b>   |
| <b>Material</b>          | Stainless steel quality SS 2343  |
| <b>Function</b>          | Sample cage equipped with special lockdevice for not loosing the bottle during sampling. Glass bottle not included.            |
| <b>Cork</b>              | Natural cork L=27 mm Diam. 20x17 mm.   |
| <b>Height/breadth</b>    | 300/99 mm  |
| <b>Weight</b>            | 1059 gram  |
| <b>Density of liquid</b> | Max 1,43 kg/L  |
| <b>Working area</b>      | Sampling of mineraloils, most chemicals, acids and basis.  |
| <b>Choice of extra</b>   | Extra protection of a teflonring, mounted on bottom of the sampler to protect tan coating. Can bee modified to higher density. |
| <b>Price</b>             | 2.400 SEK excl. freight in EU  |



**Supplier**  
Carlsson Petroleum Engineering  
Gosta Carlsson  
Videgardsvagen 7  
SE-445 57 Surte  
Sweden

**Phone/Mobile**  
+46 (0)739 829721

**e-mail contact/order**  
gosta.carlsson@cpe.se

**Homepage**  
www.cpe.se

**Org. No**  
450709-5414

**VAT Reg No**  
SE450709541401

## Sample equipment for Oil- and Chemical Industry

Page 3 (3)

updated 2011-01-17

|                          |  |
|--------------------------|--|
| <b>Article Nr</b>        | <b>1000.02</b>   |
| <b>Article Name</b>      | <b>Sample cage for 1000 ml glass bottle</b>  |
| <b>Material</b>          | Stainless steel quality SS 2343  |
| <b>Function</b>          | Sample cage equipped with special lockdevice for not loosing the bottle during sampling. Glass bottle not included.                    |
| <b>Cork</b>              | Natural cork L=27 mm. Ø 20x17 mm.  |
| <b>Height/breadth</b>    | 300/116 mm   |
| <b>Weight</b>            | 1078 gram  |
| <b>Density of liquid</b> | Max 1,2 Kg/l   |
| <b>Working area</b>      | Sampling of mineral oils, most chemicals, acids and basis.   |
| <b>Choice of extra</b>   | Extra protection of a teflon ring, can be mounted on bottom of the sampler to protect tank coating. Can be modified to higher density. |
| <b>Price:</b>            | 2.500 SEK excl. freight in EU  |



**Supplier**  
Carlsson Petroleum Engineering  
Gosta Carlsson  
Videgardsvagen 7  
SE-445 57 Surte  
Sweden

**Phone/Mobile**  
+46 (0)739 829721

**e-mail contact/order**  
gosta.carlsson@cpe.se

**Homepage**  
www.cpe.se

**Org. No**  
450709-5414

**VAT Reg No**  
SE450709541401